

Fifth Avenue Place, Fourth Floor, 425 First Street S.W.
Calgary, Alberta, Canada T2P 3L8
Phone 403-592-8845 Fax 403-592-4406
www.auc.ab.ca

DA2014-193

August 12, 2014

ATCO Gas and Pipelines Ltd. (South) 7210 – 42 Street N.W. Edmonton, Alberta T6B 3H1

Attention: Kaz Berjian, P. Eng.

Pipelines Engineering

Licence No. 5359 Application No. 1610762 Proceeding No. 3364

Record amendment application

ATCO Gas and Pipelines Ltd. (South) (ATCO), by Application No. 1610762 registered on July 30, 2014, filed an application with the Alberta Utilities Commission (AUC or the Commission) under Section 12 of the *Pipeline Act* and Section 4.1 of the *Gas Utilities Act* for the following in Townships 64 and 65, Ranges 10 and 11, west of the Fifth Meridian:

- add missing environmental code to lines 15 and 19
- mapping amendment of lines 1, 15, 18 and 19

The proposed amendment is related to facilities previously constructed and operated in accordance with approvals granted in Licence No. 5359.

ATCO stated that at some point during the licencing and mapping of lines 1, 15, 18 and 19 mapping errors were made and environmental codes to reflect a water body crossing were omitted.

ATCO stated that once these corrections are completed it would apply for a line split, followed by an abandonment of the 60 millimetre outside diameter pipelines registered under Licence 5359, as well as removal of the Freeman Creek crossings.

ATCO provided information respecting the need, nature and extent of the pipeline record amendment. Since the record amendment does not involve a ground disturbance, there will be no environmental impact.

Based upon the information provided, ATCO has demonstrated that the proposal is of a minor nature, no other person will be directly affected by the proposal and no adverse environmental impact will be caused by the proposed record amendment.

The Commission approves the application. The amended licence is attached.

Wade Vienneau

Executive Director, Facilities

On behalf of the Alberta Utilities Commission

Attachment